


West Fork Eno River - Percentage (weighted equally for each season) of 19 Guilds/Species with More Than 120% of Unregulated Index B Value



WEST FORK ENO

If seasonal Index B value is >120% of unregulated value, and seasonal unregulated Index B >= 1000, then table shows a "1".

If seasonal Index B value is >120% of unregulated value, and seasonal unregulated Index B < 1000, then table shows a "0.01".

| | |
|--------|--------|
| Season | SPRING |
|--------|--------|

April - June

Numbers in Red indicate low amount of habitat (seasonal unregulated index B < 1,000).

| Guild | | Traditional Minimum Flow | | | | Percent Mean Annual Flow | | | | | | Percent Flow-by | | | | |
|------------------------------------|-----------|--------------------------|-----------|-----------|-----------|--------------------------|------|------|------|------|------|-----------------|------|------|------|------|
| | | Ann. 7Q10 | Mon. 7Q10 | Sep. Med. | Mon. Med. | 10% | 20% | 30% | 40% | 50% | 60% | 70% | 75% | 80% | 85% | 90% |
| Shallow | SSYOY | 1 | 1 | 1 | | 1 | 1 | 1 | | | | 1 | | | | |
| | SSVEG | | | | | | | | | | | | | | | |
| | SSWOOD | | | | | | | | | | | | | | | |
| | SSCOARSE | | | | | | | | | | | | | | | |
| | SSFINENC | | | | | | | | | | | | | | | |
| | SFLOWVEL | | | | | | | | | | | | | | | |
| | SFMODEVEL | | | | | | | | | | | | | | | |
| | SFHIVEL | | | | | | | | | | | | | | | |
| Deep | DSCOV | | | | | | | | | | | | | | | |
| | DSCOV2 | | | | | | | | | | | | | | | |
| | DSNC | | | | | | | | | | | | | | | |
| | DFFINE | | | | | | | | | | | | | | | |
| | DFGRCOB | | | | | | | | | | | | | | | |
| | DFCOARSE | | | | | | | | | | | | | | | |
| Other | AMSS2 | | | | | | | | | | | | | | | |
| | ROBRHS | | | | | | | | | | | | | | | |
| | GORHA | | | | | | | | | | | | | | | |
| | GORHJ | | | | | | | | | | | | | | | |
| | AMSS4 | | | | | | | | | | | | | | | |
| | EPHEM | | | | | | | | | | | | | | | |
| | PLECO | | | | | | | | | | | | | | | |
| | TRIC1 | | | | | | | | | | | | | | | |
| | MACLR | | | | | | | | | | | | | | | |
| Total out of 19 | | 1 | 1 | 1 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| total > 1000 WUA | | 1 | 1 | 1 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| total < 1000 WUA | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total out of 19 | | 1 | 1 | 1 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| % for just this season | | 5.3% | 5.3% | 5.3% | 0.0% | 5.3% | 5.3% | 5.3% | 0.0% | 0.0% | 0.0% | 5.3% | 0.0% | 0.0% | 0.0% | 0.0% |
| % weighted equally for each season | | 1.3% | 1.3% | 1.3% | 0.0% | 1.3% | 1.3% | 1.3% | 0.0% | 0.0% | 0.0% | 1.3% | 0.0% | 0.0% | 0.0% | 0.0% |
| % > 1000 WUA | | 1.3% | 1.3% | 1.3% | 0.0% | 1.3% | 1.3% | 1.3% | 0.0% | 0.0% | 0.0% | 1.3% | 0.0% | 0.0% | 0.0% | 0.0% |
| % < 1000 WUA | | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |

| unregulated Index B |
|---------------------|
| 3531 |
| 7169 |
| 7169 |
| 8709 |
| 4278 |
| 8079 |
| 2801 |
| 179 |
| 0.1 |
| 1464 |
| 0.1 |
| 6 |
| 0.1 |
| 544 |
| 1580 |
| 0.1 |
| 0.1 |
| 8705 |
| 1924 |
| 6397 |
| 10762 |

WEST FORK ENO

Table shows percentage of unregulated Index B value achieved by flow scenario

Season **SPRING**

April - June

Highlighted cells are those >120% or < 80%

| Guild | | Traditional Minimum Flow | | | | Minimum = Percent Mean Annual Flow | | | | | | Percent Flow-by | | | | |
|---------|-----------|--------------------------|-----------|-----------|-----------|------------------------------------|--------|--------|--------|--------|--------|-----------------|--------|--------|--------|--------|
| | | Ann. 7Q10 | Mon. 7Q10 | Sep. Med. | Mon. Med. | 10% | 20% | 30% | 40% | 50% | 60% | 70% | 75% | 80% | 85% | 90% |
| Shallow | SSYOY | 236.1% | 200.2% | 214.8% | 104.8% | 234.9% | 160.4% | 121.9% | 110.6% | 103.7% | 100.9% | 123.8% | 118.8% | 114.3% | 110.2% | 106.4% |
| | SSVEG | 57.9% | 85.7% | 84.6% | 101.2% | 80.4% | 91.4% | 97.2% | 100.3% | 101.8% | 102.6% | 96.8% | 97.5% | 98.2% | 98.7% | 99.2% |
| | SSWOOD | 57.9% | 85.7% | 84.6% | 101.2% | 80.4% | 91.4% | 97.2% | 100.3% | 101.8% | 102.6% | 96.8% | 97.5% | 98.2% | 98.7% | 99.2% |
| | SSCOARSE | 69.1% | 105.3% | 106.0% | 102.8% | 104.9% | 108.1% | 106.6% | 104.7% | 102.8% | 101.9% | 103.0% | 102.6% | 102.2% | 101.7% | 101.2% |
| | SSFINENC | 51.0% | 74.4% | 71.1% | 100.3% | 67.2% | 80.7% | 91.0% | 97.0% | 100.9% | 103.3% | 93.1% | 94.6% | 95.8% | 97.0% | 98.2% |
| | SFLOWVEL | 6.3% | 58.1% | 53.5% | 100.3% | 44.4% | 72.1% | 88.0% | 96.5% | 101.5% | 104.2% | 89.7% | 91.8% | 93.8% | 95.6% | 97.2% |
| | SFMODEVEL | 2.7% | 33.1% | 28.2% | 85.7% | 21.8% | 42.6% | 59.3% | 72.1% | 82.0% | 90.2% | 75.4% | 79.8% | 84.0% | 88.1% | 92.2% |
| | SFHIVEL | 0.6% | 8.4% | 7.8% | 61.5% | 5.0% | 10.1% | 18.4% | 31.8% | 48.0% | 64.2% | 53.6% | 61.5% | 68.7% | 76.0% | 83.8% |
| Deep | DSCOV | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | DSCOV2 | 29.0% | 58.5% | 56.0% | 91.8% | 51.6% | 65.0% | 75.8% | 84.2% | 90.4% | 95.0% | 85.5% | 88.1% | 90.6% | 93.1% | 95.5% |
| | DSNC | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | DDFINE | 1.7% | 1.7% | 1.7% | 50.0% | 1.7% | 1.7% | 1.7% | 1.7% | 16.7% | 33.3% | 33.3% | 50.0% | 66.7% | 66.7% | 83.3% |
| | DFGRCOB | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | DFCOARSE | 21.7% | 48.7% | 45.8% | 86.2% | 40.8% | 55.7% | 66.9% | 75.7% | 82.9% | 89.0% | 79.4% | 82.9% | 86.2% | 89.7% | 93.2% |
| Other | AMSS2 | 0.2% | 11.6% | 6.6% | 70.8% | 3.9% | 16.1% | 32.2% | 48.2% | 62.7% | 75.9% | 60.3% | 66.8% | 73.3% | 79.9% | 86.6% |
| | ROBRHS | 0.3% | 0.3% | 0.3% | 0.3% | 0.3% | 0.3% | 0.3% | 0.3% | 0.3% | 0.3% | 13.8% | 24.1% | 34.5% | 48.3% | 65.5% |
| | GORHA | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | GORHJ | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | AMSS4 | 54.3% | 76.5% | 74.9% | 95.5% | 71.8% | 80.9% | 87.3% | 91.6% | 94.8% | 97.2% | 91.9% | 93.4% | 94.8% | 96.2% | 97.5% |
| | EPHEM | 36.1% | 70.0% | 67.7% | 96.7% | 61.9% | 78.3% | 87.7% | 93.2% | 96.7% | 98.9% | 91.5% | 93.2% | 94.8% | 96.2% | 97.6% |
| | PLECO | 2.3% | 31.4% | 25.9% | 86.4% | 19.8% | 41.7% | 59.7% | 73.5% | 84.1% | 91.7% | 75.6% | 80.1% | 84.3% | 88.4% | 92.4% |
| | TRIC1 | 38.2% | 73.4% | 71.6% | 97.4% | 65.5% | 81.6% | 90.2% | 94.9% | 97.7% | 99.4% | 92.9% | 94.3% | 95.6% | 96.9% | 98.0% |
| | MACLR | 44.1% | 70.8% | 68.8% | 95.9% | 64.1% | 77.2% | 85.7% | 91.5% | 95.5% | 98.4% | 91.0% | 92.7% | 94.4% | 95.9% | 97.4% |
| AVERAGE | | 52.6% | 69.3% | 68.3% | 88.2% | 66.1% | 72.0% | 76.8% | 81.2% | 85.4% | 89.1% | 84.7% | 87.4% | 90.0% | 92.1% | 95.0% |
| MEDIAN | | 44.1% | 73.4% | 71.1% | 97.4% | 65.5% | 80.7% | 88.0% | 94.9% | 97.7% | 99.4% | 91.9% | 93.4% | 94.8% | 96.2% | 97.6% |
| MINIMUM | | 0.2% | 0.3% | 0.3% | 0.3% | 0.3% | 0.3% | 0.3% | 0.3% | 0.3% | 0.3% | 13.8% | 24.1% | 34.5% | 48.3% | 65.5% |
| MAXIMUM | | 236.1% | 200.2% | 214.8% | 104.8% | 234.9% | 160.4% | 121.9% | 110.6% | 103.7% | 104.2% | 123.8% | 118.8% | 114.3% | 110.2% | 106.4% |

WEST FORK ENO

If seasonal Index B value is >120% of unregulated value, and seasonal unregulated Index B >= 1000, then table shows a "1".

If seasonal Index B value is >120% of unregulated value, and seasonal unregulated Index B < 1000, then table shows a "0.01".

Season **SUMMER**

July - September

Numbers in **Red** indicate low amount of habitat (seasonal unregulated index B < 1,000).

| Guild | Traditional Minimum Flow | | | | Percent Mean Annual Flow | | | | | | Percent Flow-by | | | | |
|------------------------------------|--------------------------|-----------|-----------|-----------|--------------------------|------|------|------|------|------|-----------------|------|------|------|------|
| | Ann. 7Q10 | Mon. 7Q10 | Sep. Med. | Mon. Med. | 10% | 20% | 30% | 40% | 50% | 60% | 70% | 75% | 80% | 85% | 90% |
| Shallow | SSYOY | 1 | 1 | 1 | 1 | | | | | | | | | | |
| | SSVEG | | | | | | | | | | | | | | |
| | SSWOOD | | | | | | | | | | | | | | |
| | SSCOARSE | | | | | | | | | | | | | | |
| | SSFINENC | | | | | | | | | | | | | | |
| | SFLOWVEL | | | | | | | | | | | | | | |
| | SFMODVEL | | | | | | | | | | | | | | |
| | SFHIVEL | | | | | | | | 0.01 | 0.01 | | | | | |
| Deep | DSCOV | | | | | | | | | | | | | | |
| | DSCOV2 | | | | | | | | | | | | | | |
| | DSNC | | | | | | | | | | | | | | |
| | DFFINE | | | | | | | | | | | | | | |
| | DFGRCOB | | | | | | | | | | | | | | |
| | DFCOARSE | | | | | | | | | | | | | | |
| Other | AMSS2 | | | | | | | | 0.01 | 0.01 | | | | | |
| | ROBRHS | | | | | | | | | | | | | | |
| | GORHA | | | | | | | | | | | | | | |
| | GORHJ | | | | | | | | | | | | | | |
| | AMSS4 | | | | | | | | | | | | | | |
| | EPHEM | | | | | | | | | | | | | | |
| | PLECO | | | | | | | | | 0.01 | | | | | |
| | TRIC1 | | | | | | | | | | | | | | |
| | MACLR | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| Total out of 19 | | 1 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0.01 | 0.02 | 0 | 0 | 0 | 0 |
| total > 1000 WUA | | 1 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| total < 1000 WUA | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 |
| Total out of 19 | | 1 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 |
| % for just this season | | 5.3% | 5.3% | 5.3% | 0.0% | 5.3% | 0.0% | 0.0% | 0.0% | 5.3% | 10.5% | 0.0% | 0.0% | 0.0% | 0.0% |
| % weighted equally for each season | | 1.3% | 1.3% | 1.3% | 0.0% | 1.3% | 0.0% | 0.0% | 0.0% | 1.3% | 2.6% | 0.0% | 0.0% | 0.0% | 0.0% |
| % > 1000 WUA | | 1.3% | 1.3% | 1.3% | 0.0% | 1.3% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| % < 1000 WUA | | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 1.3% | 2.6% | 0.0% | 0.0% | 0.0% | 0.0% |

| unregulated Index B |
|---------------------|
| 6430 |
| 6269 |
| 6265 |
| 8932 |
| 3372 |
| 5212 |
| 1225 |
| 34 |
| 0.1 |
| 955 |
| 0.1 |
| 0.1 |
| 0.1 |
| 305 |
| 382 |
| 0.1 |
| 0.1 |
| 6522 |
| 826 |
| 4971 |
| 8143 |

WEST FORK ENO

Table shows percentage of unregulated Index B value achieved by flow scenario

Season **SUMMER**

July - September

Highlighted cells are those >120% or < 80%

| Guild | | Traditional Minimum Flow | | | | Minimum = Percent Mean Annual Flow | | | | | | Percent Flow-by | | | | |
|---------|-----------|--------------------------|-----------|-----------|-----------|------------------------------------|--------|--------|--------|--------|--------|-----------------|--------|--------|--------|--------|
| | | Ann. 7Q10 | Mon. 7Q10 | Sep. Med. | Mon. Med. | 10% | 20% | 30% | 40% | 50% | 60% | 70% | 75% | 80% | 85% | 90% |
| Shallow | SSYOY | 129.6% | 146.4% | 124.1% | 114.2% | 132.0% | 107.3% | 97.3% | 94.9% | 93.5% | 92.9% | 113.7% | 111.3% | 108.8% | 106.5% | 104.2% |
| | SSVEG | 66.2% | 74.2% | 93.8% | 96.7% | 90.4% | 98.3% | 101.4% | 102.8% | 103.4% | 103.7% | 94.7% | 95.7% | 96.7% | 97.6% | 98.4% |
| | SSWOOD | 66.3% | 74.2% | 93.9% | 96.7% | 90.5% | 98.4% | 101.5% | 102.8% | 103.5% | 103.8% | 94.8% | 95.8% | 96.8% | 97.7% | 98.5% |
| | SSCOARSE | 67.4% | 86.0% | 102.2% | 102.8% | 101.4% | 103.3% | 102.5% | 101.7% | 101.0% | 100.6% | 98.9% | 99.2% | 99.4% | 99.7% | 99.8% |
| | SSFINENC | 64.7% | 71.3% | 87.6% | 91.9% | 84.0% | 94.5% | 100.5% | 103.6% | 105.3% | 106.5% | 92.4% | 93.9% | 95.1% | 96.4% | 97.7% |
| | SFLOWVEL | 9.7% | 24.5% | 74.8% | 84.9% | 64.8% | 91.3% | 102.6% | 107.8% | 110.6% | 112.1% | 82.2% | 85.5% | 88.7% | 91.8% | 94.7% |
| | SFMODEVEL | 6.1% | 15.8% | 56.7% | 68.4% | 46.5% | 75.6% | 93.2% | 104.7% | 112.9% | 119.7% | 73.1% | 77.7% | 82.3% | 86.9% | 91.2% |
| | SFHIVEL | 2.9% | 5.9% | 35.3% | 41.2% | 23.5% | 41.2% | 61.8% | 88.2% | 120.6% | 150.0% | 55.9% | 61.8% | 67.6% | 76.5% | 82.4% |
| Deep | DSCOV | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | DSCOV2 | 44.5% | 55.5% | 81.9% | 86.7% | 77.2% | 89.7% | 97.3% | 102.4% | 105.9% | 108.4% | 87.9% | 89.9% | 92.0% | 94.1% | 96.1% |
| | DSNC | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | DDFINE | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | DFGRCOB | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | DFCOARSE | 38.7% | 48.2% | 76.7% | 83.0% | 70.5% | 86.9% | 96.1% | 102.3% | 106.9% | 110.8% | 84.6% | 87.2% | 89.8% | 92.5% | 95.1% |
| Other | AMSS2 | 6.8% | 4.2% | 22.5% | 35.0% | 14.9% | 41.0% | 75.1% | 101.3% | 123.0% | 142.7% | 56.0% | 62.8% | 69.0% | 77.2% | 84.6% |
| | ROBRHS | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | GORHA | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | GORHJ | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | AMSS4 | 67.8% | 73.6% | 91.2% | 93.9% | 88.5% | 95.5% | 99.1% | 101.3% | 102.7% | 103.8% | 93.6% | 94.8% | 95.9% | 97.0% | 98.0% |
| | EPHEM | 48.2% | 57.9% | 85.8% | 90.9% | 80.4% | 94.0% | 99.8% | 102.7% | 104.4% | 105.4% | 89.9% | 91.8% | 93.6% | 95.3% | 96.9% |
| | PLECO | 5.3% | 13.6% | 52.8% | 65.5% | 42.6% | 73.7% | 92.9% | 105.6% | 114.5% | 120.9% | 71.5% | 76.5% | 81.2% | 86.1% | 90.7% |
| | TRIC1 | 49.1% | 59.1% | 87.6% | 92.2% | 82.1% | 95.0% | 100.2% | 102.5% | 103.8% | 104.6% | 90.7% | 92.4% | 94.1% | 95.7% | 97.2% |
| | MACLR | 58.3% | 65.8% | 87.4% | 91.4% | 83.0% | 93.8% | 99.0% | 102.0% | 103.9% | 105.3% | 91.2% | 92.8% | 94.3% | 95.8% | 97.2% |
| | AVERAGE | 62.0% | 68.5% | 85.0% | 88.5% | 81.4% | 90.6% | 96.5% | 101.2% | 105.0% | 108.3% | 90.1% | 91.7% | 93.3% | 95.1% | 96.6% |
| MEDIAN | | 66.2% | 73.6% | 91.2% | 93.9% | 88.5% | 95.5% | 100.0% | 101.7% | 103.5% | 103.8% | 93.6% | 94.8% | 95.9% | 97.0% | 98.0% |
| MINIMUM | | 0.8% | 4.2% | 22.5% | 35.9% | 14.9% | 41.2% | 61.8% | 88.2% | 93.5% | 92.9% | 55.9% | 61.8% | 67.6% | 76.5% | 82.4% |
| MAXIMUM | | 129.6% | 146.4% | 124.1% | 114.2% | 132.0% | 107.3% | 102.6% | 107.8% | 123.0% | 150.0% | 113.7% | 111.3% | 108.8% | 106.5% | 104.2% |

WEST FORK ENO

If seasonal Index B value is >120% of unregulated value, and seasonal unregulated Index B >= 1000, then table shows a "1".

If seasonal Index B value is >120% of unregulated value, and seasonal unregulated Index B < 1000, then table shows a "0.01".

| | |
|--------|-------------|
| Season | FALL |
|--------|-------------|

Oct & Nov

Numbers in **Red** indicate low amount of habitat (seasonal unregulated index B < 1,000).

| Guild | | Traditional Minimum Flow | | | | Percent Mean Annual Flow | | | | | | Percent Flow-by | | | | |
|------------------------------------|----------|--------------------------|-----------|-----------|-----------|--------------------------|------|------|------|------|------|-----------------|------|------|------|------|
| | | Ann. 7Q10 | Mon. 7Q10 | Sep. Med. | Mon. Med. | 10% | 20% | 30% | 40% | 50% | 60% | 70% | 75% | 80% | 85% | 90% |
| Shallow | SSYOY | 1 | 1 | 1 | | 1 | | | | | | | | | | |
| | SSVEG | | | | | | | | | | | | | | | |
| | SSWOOD | | | | | | | | | | | | | | | |
| | SSCOARSE | | | | | | | | | | | | | | | |
| | SSFINENC | | | | | | | | | | | | | | | |
| | SFLOWVEL | | | | | | | | | | | | | | | |
| | SFMODVEL | | | | | | | | | | | | | | | |
| | SFHIVEL | | | | | | | | | | 0.01 | | | | | |
| Deep | DSCOV | | | | | | | | | | | | | | | |
| | DSCOV2 | | | | | | | | | | | | | | | |
| | DSNC | | | | | | | | | | | | | | | |
| | DFFINE | | | | | | | | | | | | | | | |
| | DFGRCOB | | | | | | | | | | | | | | | |
| | DFCOARSE | | | | | | | | | | | | | | | |
| Other | AMSS2 | | | | | | | | | | 0.01 | | | | | |
| | ROBRHS | | | | | | | | | | | | | | | |
| | GORHA | | | | | | | | | | | | | | | |
| | GORHJ | | | | | | | | | | | | | | | |
| | AMSS4 | | | | | | | | | | | | | | | |
| | EPHEM | | | | | | | | | | | | | | | |
| | PLECO | | | | | | | | | | | | | | | |
| | TRIC1 | | | | | | | | | | | | | | | |
| | MACLR | | | | | | | | | | | | | | | |
| Total out of 19 | | 1 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0.01 | 0 | 0 | 0 | 0 | 0 |
| total > 1000 WUA | | 1 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| total < 1000 WUA | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Total out of 19 | | 1 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| % for just this season | | 5.3% | 5.3% | 5.3% | 0.0% | 5.3% | 0.0% | 0.0% | 0.0% | 0.0% | 5.3% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| % weighted equally for each season | | 1.3% | 1.3% | 1.3% | 0.0% | 1.3% | 0.0% | 0.0% | 0.0% | 0.0% | 1.3% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| % > 1000 WUA | | 1.3% | 1.3% | 1.3% | 0.0% | 1.3% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| % < 1000 WUA | | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 1.3% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |

| unregulated Index B |
|---------------------|
| 6128 |
| 6327 |
| 6327 |
| 8868 |
| 3439 |
| 5424 |
| 1302 |
| 38 |
| 0.1 |
| 980 |
| 0.1 |
| 0.1 |
| 0.1 |
| 315 |
| 428 |
| |
| 0.1 |
| 0.1 |
| |
| 6644 |
| 884 |
| 5050 |
| 8282 |

WEST FORK ENO

Table shows percentage of unregulated Index B value achieved by flow scenario

Season **FALL**

October & November

Highlighted cells are those >120% or < 80%

| Guild | | Traditional Minimum Flow | | | | Minimum = Percent Mean Annual Flow | | | | | | Percent Flow-by | | | | |
|---------|-----------|--------------------------|-----------|-----------|-----------|------------------------------------|--------|--------|--------|--------|--------|-----------------|--------|--------|--------|--------|
| | | Ann. 7Q10 | Mon. 7Q10 | Sep. Med. | Mon. Med. | 10% | 20% | 30% | 40% | 50% | 60% | 70% | 75% | 80% | 85% | 90% |
| Shallow | SSYOY | 136.0% | 148.6% | 129.2% | 112.3% | 137.8% | 110.2% | 98.4% | 95.4% | 93.8% | 93.3% | 114.4% | 111.7% | 109.4% | 106.8% | 104.4% |
| | SSVEG | 65.6% | 70.9% | 92.9% | 97.3% | 89.4% | 97.6% | 101.0% | 102.6% | 103.3% | 103.6% | 94.8% | 95.8% | 96.8% | 97.7% | 98.5% |
| | SSWOOD | 65.6% | 70.9% | 92.9% | 97.3% | 89.4% | 97.6% | 101.0% | 102.6% | 103.3% | 103.6% | 94.8% | 95.8% | 96.8% | 97.7% | 98.5% |
| | SSCOARSE | 67.9% | 81.1% | 102.8% | 103.2% | 102.0% | 104.0% | 103.0% | 102.2% | 101.4% | 101.0% | 99.2% | 99.6% | 99.7% | 100.0% | 100.0% |
| | SSFINENC | 63.4% | 67.7% | 85.8% | 92.9% | 82.3% | 93.1% | 99.7% | 103.1% | 104.9% | 106.0% | 92.1% | 93.6% | 95.0% | 96.3% | 97.6% |
| | SFLOWVEL | 9.4% | 18.4% | 71.6% | 87.2% | 61.8% | 88.5% | 100.8% | 106.5% | 109.3% | 110.8% | 82.6% | 85.7% | 88.9% | 91.9% | 94.8% |
| | SFMODEVEL | 5.8% | 11.5% | 53.3% | 72.0% | 43.5% | 72.2% | 90.9% | 103.1% | 111.4% | 117.7% | 73.1% | 77.6% | 82.3% | 86.6% | 91.1% |
| | SFHIVEL | 2.6% | 5.3% | 31.6% | 42.1% | 21.1% | 36.8% | 57.9% | 86.8% | 115.8% | 142.1% | 52.6% | 57.9% | 65.8% | 73.7% | 81.6% |
| Deep | DSCOV | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | DSCOV2 | 43.4% | 50.5% | 79.7% | 87.7% | 75.0% | 87.8% | 96.1% | 101.7% | 105.3% | 107.9% | 87.3% | 89.6% | 91.7% | 93.8% | 95.9% |
| | DSNC | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | DDFINE | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | DFGRCOB | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | DFCOARSE | 37.5% | 43.5% | 74.3% | 84.4% | 68.3% | 84.8% | 94.9% | 101.6% | 106.3% | 110.2% | 84.4% | 87.0% | 89.8% | 92.1% | 94.9% |
| Other | AMSS2 | 6.7% | 2.6% | 20.1% | 42.2% | 13.1% | 41.0% | 72.0% | 98.4% | 119.2% | 136.7% | 55.6% | 62.4% | 69.8% | 76.4% | 84.1% |
| | ROBRHS | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | GORHA | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | GORHJ | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | AMSS4 | 67.0% | 70.8% | 90.0% | 94.5% | 87.3% | 94.6% | 98.6% | 101.0% | 102.6% | 103.6% | 93.5% | 94.7% | 95.8% | 96.9% | 98.0% |
| | EPHEM | 47.3% | 53.6% | 84.1% | 92.1% | 78.6% | 92.6% | 99.1% | 102.3% | 104.0% | 105.1% | 90.0% | 91.8% | 93.6% | 95.3% | 96.9% |
| | PLECO | 5.0% | 9.8% | 49.2% | 69.3% | 39.5% | 70.1% | 90.3% | 103.7% | 112.8% | 118.7% | 71.6% | 76.5% | 81.3% | 85.9% | 90.7% |
| | TRIC1 | 48.3% | 54.8% | 86.1% | 93.4% | 80.6% | 93.8% | 99.5% | 102.2% | 103.6% | 104.3% | 90.8% | 92.5% | 94.2% | 95.7% | 97.2% |
| | MACLR | 57.3% | 62.2% | 85.8% | 92.3% | 81.5% | 92.5% | 98.2% | 101.6% | 103.7% | 105.0% | 91.1% | 92.7% | 94.3% | 95.7% | 97.2% |
| | AVERAGE | 61.9% | 66.2% | 83.9% | 89.6% | 80.5% | 89.5% | 95.7% | 100.6% | 104.4% | 107.4% | 89.9% | 91.5% | 93.3% | 94.9% | 96.6% |
| MEDIAN | | 65.6% | 70.8% | 90.0% | 94.5% | 87.3% | 94.6% | 99.7% | 101.6% | 103.3% | 103.6% | 93.5% | 94.7% | 95.8% | 96.9% | 98.0% |
| MINIMUM | | 0.7% | 2.6% | 20.1% | 42.1% | 13.1% | 36.8% | 57.9% | 86.8% | 93.8% | 93.3% | 52.6% | 57.9% | 65.8% | 73.7% | 81.6% |
| MAXIMUM | | 136.0% | 148.6% | 129.2% | 112.3% | 137.8% | 110.2% | 103.0% | 106.5% | 119.2% | 142.1% | 114.4% | 111.7% | 109.4% | 106.8% | 104.4% |

WEST FORK ENO

If seasonal Index B value is >120% of unregulated value, and seasonal unregulated Index B >= 1000, then table shows a "1".

If seasonal Index B value is >120% of unregulated value, and seasonal unregulated Index B < 1000, then table shows a "0.01".

| | |
|--------|--------|
| Season | WINTER |
|--------|--------|

Dec - March

Numbers in Red indicate low amount of habitat (seasonal unregulated index B < 1,000).

| Guild | | Traditional Minimum Flow | | | | Percent Mean Annual Flow | | | | | | Percent Flow-by | | | | |
|------------------------------------|----------|--------------------------|-----------|-----------|-----------|--------------------------|------|------|------|------|------|-----------------|------|------|------|------|
| | | Ann. 7Q10 | Mon. 7Q10 | Sep. Med. | Mon. Med. | 10% | 20% | 30% | 40% | 50% | 60% | 70% | 75% | 80% | 85% | 90% |
| Shallow | SSYOY | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | | | | | | | |
| | SSVEG | | | | | | | | | | | | | | | |
| | SSWOOD | | | | | | | | | | | | | | | |
| | SSCOARSE | | | | | | | | | | | | | | | |
| | SSFINENC | | | | | | | | | | | | | | | |
| | SFLOWVEL | | | | | | | | | | | | | | | |
| | SFMODVEL | | | | | | | | | | | | | | | |
| | SFHIVEL | | | | | | | | | | | | | | | |
| Deep | DSCOV | | | | | | | | | | | | | | | |
| | DSCOV2 | | | | | | | | | | | | | | | |
| | DSNC | | | | | | | | | | | | | | | |
| | DFFINE | | | | | | | | | | | | | | | |
| | DFGRCOB | | | | | | | | | | | | | | | |
| | DFCOARSE | | | | | | | | | | | | | | | |
| Other | AMSS2 | | | | | | | | | | | | | | | |
| | ROBRHS | | | | | | | | | | | | | | | |
| | GORHA | | | | | | | | | | | | | | | |
| | GORHJ | | | | | | | | | | | | | | | |
| | AMSS4 | | | | | | | | | | | | | | | |
| | EPHEM | | | | | | | | | | | | | | | |
| | PLECO | | | | | | | | | | | | | | | |
| | TRIC1 | | | | | | | | | | | | | | | |
| | MACLR | | | | | | | | | | | | | | | |
| Total out of 19 | | 1 | 1 | 1 | 0 | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| total > 1000 WUA | | 1 | 1 | 1 | 0 | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| total < 1000 WUA | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total out of 19 | | 1 | 1 | 1 | 0 | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| % for just this season | | 5.3% | 5.3% | 5.3% | 0.0% | 5.3% | 5.3% | 5.3% | 5.3% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| % weighted equally for each season | | 1.3% | 1.3% | 1.3% | 0.0% | 1.3% | 1.3% | 1.3% | 1.3% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| % > 1000 WUA | | 1.3% | 1.3% | 1.3% | 0.0% | 1.3% | 1.3% | 1.3% | 1.3% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| % < 1000 WUA | | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |

| unregulated Index B |
|---------------------|
| 2893 |
| 7239 |
| 7239 |
| 7965 |
| 4475 |
| 8626 |
| 3862 |
| 341 |
| 1 |
| 1766 |
| 0.1 |
| 20 |
| 0.1 |
| 765 |
| 2817 |
| 0.1 |
| 0.1 |
| 9505 |
| 2606 |
| 6859 |
| 11930 |

WEST FORK ENO

Table shows percentage of unregulated Index B value achieved by flow scenario

Season **WINTER**

December - March

Highlighted cells are those >120% or < 80%

| Guild | | Traditional Minimum Flow | | | | Minimum = Percent Mean Annual Flow | | | | | | Percent Flow-by | | | | |
|---------|-----------|--------------------------|-----------|-----------|-----------|------------------------------------|--------|--------|--------|--------|--------|-----------------|--------|--------|--------|--------|
| | | Ann. 7Q10 | Mon. 7Q10 | Sep. Med. | Mon. Med. | 10% | 20% | 30% | 40% | 50% | 60% | 70% | 75% | 80% | 85% | 90% |
| Shallow | SSYOY | 288.1% | 229.6% | 262.2% | 101.8% | 286.8% | 194.8% | 143.1% | 125.7% | 114.0% | 108.9% | 117.2% | 113.3% | 109.8% | 106.7% | 104.1% |
| | SSVEG | 57.4% | 86.5% | 83.8% | 103.9% | 79.6% | 90.5% | 97.0% | 100.8% | 102.9% | 104.0% | 99.0% | 99.3% | 99.6% | 99.7% | 99.9% |
| | SSWOOD | 57.4% | 86.5% | 83.8% | 103.9% | 79.6% | 90.5% | 97.0% | 100.8% | 102.9% | 104.0% | 99.0% | 99.3% | 99.6% | 99.8% | 99.9% |
| | SSCOARSE | 75.6% | 114.9% | 115.9% | 107.4% | 114.7% | 118.3% | 116.5% | 113.8% | 111.0% | 109.5% | 106.5% | 105.4% | 104.4% | 103.3% | 102.2% |
| | SSFINENC | 48.7% | 74.1% | 68.0% | 104.4% | 64.2% | 77.2% | 88.2% | 95.5% | 100.6% | 104.1% | 96.6% | 97.4% | 98.1% | 98.7% | 99.2% |
| | SFLOWVEL | 5.9% | 58.9% | 50.2% | 106.4% | 41.6% | 67.7% | 84.3% | 94.3% | 100.8% | 104.5% | 94.8% | 96.1% | 97.1% | 98.1% | 98.8% |
| | SFMODEVEL | 1.9% | 27.5% | 20.4% | 88.2% | 15.8% | 31.0% | 44.6% | 56.2% | 66.2% | 75.1% | 79.6% | 83.5% | 87.1% | 90.6% | 94.0% |
| | SFHIVEL | 0.3% | 5.6% | 4.1% | 72.7% | 2.6% | 5.3% | 10.3% | 19.1% | 30.8% | 44.0% | 65.4% | 71.3% | 77.4% | 83.3% | 88.9% |
| Deep | DSCOV | 10.0% | 10.0% | 10.0% | 10.0% | 10.0% | 10.0% | 10.0% | 10.0% | 10.0% | 10.0% | 10.0% | 10.0% | 10.0% | 10.0% | 10.0% |
| | DSCOV2 | 24.1% | 51.0% | 46.4% | 93.7% | 42.8% | 53.9% | 63.9% | 72.7% | 79.9% | 85.6% | 87.4% | 89.8% | 92.1% | 94.3% | 96.3% |
| | DSNC | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | DDFINE | 0.5% | 0.5% | 0.5% | 45.0% | 0.5% | 0.5% | 0.5% | 0.5% | 10.0% | 15.0% | 45.0% | 55.0% | 60.0% | 70.0% | 80.0% |
| | DFGRCOB | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | DFCOARSE | 15.4% | 37.0% | 32.5% | 82.2% | 29.0% | 39.6% | 48.6% | 56.5% | 63.5% | 70.2% | 78.2% | 82.0% | 85.6% | 89.3% | 92.9% |
| Other | AMSS2 | 0.1% | 0.9% | 1.7% | 74.2% | 2.2% | 0.1% | 19.2% | 30.0% | 41.0% | 52.0% | 67.3% | 75.1% | 78.7% | 84.2% | 89.8% |
| | ROBRHS | 0.1% | 0.1% | 0.1% | 11.0% | 0.1% | 0.1% | 0.1% | 0.1% | 0.1% | 0.1% | 29.3% | 36.2% | 47.1% | 56.2% | 72.3% |
| | GORHA | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | GORHJ | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| | AMSS4 | 48.4% | 69.8% | 64.8% | 95.2% | 64.1% | 72.1% | 78.0% | 83.5% | 87.4% | 90.6% | 92.0% | 93.5% | 95.0% | 96.3% | 97.6% |
| | EPHEM | 33.1% | 66.7% | 62.0% | 98.5% | 56.7% | 71.8% | 81.4% | 87.7% | 92.2% | 95.2% | 93.7% | 95.0% | 96.2% | 97.3% | 98.3% |
| | PLECO | 1.7% | 27.2% | 19.1% | 89.8% | 14.6% | 31.0% | 45.8% | 58.7% | 69.5% | 77.9% | 80.6% | 84.3% | 87.9% | 91.2% | 94.4% |
| | TRIC1 | 35.6% | 70.9% | 66.8% | 98.7% | 61.1% | 76.2% | 85.2% | 90.7% | 94.3% | 96.6% | 94.9% | 96.0% | 97.0% | 97.9% | 98.7% |
| | MACLR | 39.8% | 66.1% | 62.0% | 97.8% | 57.8% | 69.7% | 78.3% | 84.8% | 89.9% | 93.7% | 92.7% | 94.2% | 95.6% | 96.8% | 98.0% |
| | AVERAGE | 49.7% | 64.9% | 63.4% | 86.3% | 61.9% | 65.6% | 69.2% | 73.1% | 76.9% | 80.1% | 83.9% | 85.9% | 87.8% | 89.9% | 92.0% |
| | MEDIAN | 35.6% | 66.7% | 62.0% | 98.5% | 57.8% | 71.8% | 81.4% | 87.7% | 92.2% | 95.2% | 93.7% | 95.0% | 96.2% | 97.3% | 98.3% |
| | MINIMUM | 0.1% | 0.1% | 0.1% | 10.0% | 0.1% | 0.1% | 0.1% | 0.1% | 0.1% | 0.1% | 10.0% | 10.0% | 10.0% | 10.0% | 10.0% |
| | MAXIMUM | 288.1% | 229.6% | 262.2% | 107.4% | 286.8% | 194.8% | 143.1% | 125.7% | 114.0% | 109.5% | 117.2% | 113.3% | 109.8% | 106.7% | 104.1% |